

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8752	validat\$4 near3 (application\$1 configuration\$1 setting \$1)	US-PGPUB; USPAT	OR	OFF	2009/12/14 14:05
L2	59	L1 with compar\$7.clm.	US-PGPUB; USPAT	OR	OFF	2009/12/14 14:05
L3	59	(L1 with compar\$7).clm.	US-PGPUB; USPAT	OR	OFF	2009/12/14 14:05
L4	3412	validat\$4 near3 (configuration\$1 setting \$1)	US-PGPUB; USPAT	OR	OFF	2009/12/14 14:06
L5	33	(L4 with compar\$7).clm.	US-PGPUB; USPAT	OR	OFF	2009/12/14 14:06
L6	3758	713/001,002,100.ccls. 717/174,175,176.ccls.	US-PGPUB; USPAT	OR	OFF	2009/12/14 14:06
L7	1	L3 and L6	US-PGPUB; USPAT	OR	OFF	2009/12/14 14:06
L8	0	L5 and L6	US-PGPUB; USPAT	OR	OFF	2009/12/14 14:06
S1	327	(configuration adj setting \$1) near5 application\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:18
S2	16	S1 with (field\$1 description\$1 condition \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 11:27
S3	1060	713/001,002,100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 11:27
S4	0	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 11:27

S5	24	validat\$4 near3 (configuration adj setting \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 08:14
S6	6	S5 near5 application\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 08:05
S7	1	S6 same instruction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 08:04
S8	77	(validat\$7 authenticat\$7 approv\$4 authoriz\$7 confirm\$7 endors\$4 verif \$7) near3 (configuration adj setting\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:39
S9	12	S8 near5 (application\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 08:49
S10	120	read\$4 near3 (configuration adj setting \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 08:50
S11	22	S10 near5 (application\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 09:03
S12	2561	(computer adj instruction \$1) near5 (application\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 09:04

S13	4	S12 near5 attribute\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 09:04
S14	9	S12 near5 field\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:16
S15	0	S14 near5 condition\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 09:05
S16	71	(configuration adj setting) near3 (application\$1 program \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:17
S17	5	S16 with (first second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:18
S18	26	(validat\$7 authenticat\$7 approv\$4 authoriz\$7 confirm\$7 endors\$4 verif \$7) near3 (configuration adj setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 13:53
S19	0	S18 with (application\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:41
S20	0	S18 near5 (application\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:41

S21	0	(configuration adj setting \$1) near5 ((first 1st) adj application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:45
S22	15608	((first 1st) adj application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:29
S23	13655	((second 2nd) adj application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:29
S24	2062	S22 near5 S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:28
S25	0	S24 near5 (configuration adj setting\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:28
S26	26521	((first 1st) adj (program application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:29
S27	22457	((second 2nd) adj (program application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:29
S28	7339	S26 with S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:30

S29	1	S28 with (configuration adj setting\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:43
S30	3	S28 with ((configuration adj setting\$1) or (setup adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:44
S31	3	((setup adj data) or (configuration adj setting \$1)) near5 ((first 1st) adj application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:46
S32	3	((setup adj data) or (configuration adj setting \$1)) near5 ((first 1st) adj (program application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:49
S33	3	S32 with ((second 2nd) adj (application program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:49
S34	3703	common adj configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 13:47
S35	94	S34 with (program application (operating adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 13:48
S36	158	S34 with (program\$1 application\$1 (operating adj system\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 15:26

S37	15	S36 same (field\$1 attribute\$1 condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 13:52
S38	3	S36 same (validat\$7 authenticat\$7 approv\$4 authoriz\$7 confirm\$7 endors\$4 verif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 13:53
S39	83	(configuration adj setting) near3 (application\$1 program \$1 (operating adj system \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 15:30
S40	0	(configuration adj setting) near3 ((second 2nd another) adj (application\$1 program \$1 (operating adj system \$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 15:31
S41	1	S39 with ((second 2nd another) adj (application \$1 program\$1 (operating adj system\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 15:36
S42	53	(configuration adj setting) near5 (field description condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 15:37
S43	2	"20040243997"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:19
S44	415	(configuration adj setting \$1) near5 application\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51

S45	17	S44 with (field\$1 description\$1 condition \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
S46	1186	713/001,002,100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
S47	0	S45 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
S48	25	validat\$4 near3 (configuration adj setting \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
S49	6	S48 near5 application\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
S50	1	S49 same instruction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
S51	97	(validat\$7 authenticat\$7 approv\$4 authoriz\$7 confirm\$7 endors\$4 verif \$7) near3 (configuration adj setting\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
S52	12	S51 near5 (application\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51

S53	2929	(computer adj instruction \$1) near5 (application\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
S54	10	S53 near5 field\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
S55	91	(configuration adj setting) near3 (application\$1 program \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
S56	6	S55 with (first second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
S57	4013	common adj configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
S58	174	S57 with (program\$1 application\$1 (operating adj system\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
S59	3	S58 same (validat\$7 authenticat\$7 approv\$4 authoriz\$7 confirm\$7 endors\$4 verif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
S60	104	(configuration adj setting) near3 (application\$1 program \$1 (operating adj system \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52



S61	2	S60 with ((second 2nd another) adj (application \$1 program\$1 (operating adj system\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
S62	3	((setup adj data) or (configuration adj setting \$1)) near5 ((first 1st) adj (program application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
S63	3	S62 with ((second 2nd) adj (application program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
S64	28664	((first 1st) adj (program application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
S65	24291	((second 2nd) adj (program application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
S66	8078	S64 with S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
S67	4	S66 with ((configuration adj setting\$1) or (setup adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
S68	9620	validat\$4 near3 (application\$1 configuration\$1 setting \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/09 10:11
S69	8740	validat\$4 near3 (application\$1 configuration\$1 setting \$1)	US-PGPUB; USPAT	OR	OFF	2009/12/09 10:11

S70	329	S69 with compar\$7	US-PGPUB; USPAT	OR	OFF	2009/12/09 10:21
S71	3408	validat\$4 near3 (configuration\$1 setting \$1)	US-PGPUB; USPAT	OR	OFF	2009/12/09 10:24
S72	106	S71 with compar\$7	US-PGPUB; USPAT	OR	OFF	2009/12/09 10:25
S73	20	S72 with (application\$1 program\$1 processes process code)	US-PGPUB; USPAT	OR	OFF	2009/12/09 10:25

### EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	7593	"L5" and "L6"	USPAT; UPAD	OR	OFF	2009/12/14 14:07
L10	7280	"L3" and "L6"	USPAT; UPAD	OR	OFF	2009/12/14 14:07

12/ 14/ 2009 2:07:45 PM

C:\ Documents and Settings\ mbrown7\ My Documents\ EAST\ Workspaces\ 10699629.wsp